

平成26年度

()内は検出限界値

	採取日	11/19	11/20	11/21	11/22	11/23	11/24	11/25	11/26	11/27	11/28	11/29	11/30	12/1	12/2	12/3	12/4	12/5	12/6
		2回目											3回目						
川房公会堂 (小高区川房)	Cs134	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND(0.20)	ND(0.19)	ND(0.30)	ND(0.17)	0.49	ND(0.25)	ND(0.27)
	Cs137	0.32	0.41	0.66	0.85	0.19	0.68	ND	ND	ND	0.41	ND	ND(0.19)	0.28	0.43	0.39	1.1	0.3	ND(0.23)
横川ダム (原町区馬場)	Cs134	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND(0.20)	ND(0.17)	ND(0.14)	ND(0.15)	ND(0.14)	ND(0.19)	ND(0.23)
	Cs137	ND	ND	ND	0.20	ND	ND	ND	ND	ND	ND	ND	ND(0.18)	ND(0.13)	ND(0.15)	0.16	ND(0.15)	ND(0.16)	ND(0.24)
原町保健センター (原町区小川町)	Cs134	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND(0.21)	ND(0.23)	ND(0.17)	ND(0.18)	ND(0.19)	ND(0.20)	ND(0.25)
	Cs137	ND	0.19	ND	ND	ND	0.28	ND	ND	ND	ND	ND	ND(0.19)	ND(0.21)	ND(0.15)	0.17	ND(0.20)	ND(0.13)	ND(0.25)
高平生涯学習センター (原町区下高平)	Cs134	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND(0.16)	ND(0.15)	ND(0.15)	ND(0.21)	ND(0.16)	ND(0.22)	ND(0.20)
	Cs137	ND	ND	0.19	ND	ND	ND	ND	ND	ND	ND	ND	ND(0.18)	ND(0.15)	ND(0.18)	ND(0.30)	ND(0.16)	ND(0.24)	ND(0.21)
鹿島区役所 (鹿島区西町)	Cs134	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND(0.26)	ND(0.16)	ND(0.27)	ND(0.22)	ND(0.15)	ND(0.15)	ND(0.26)
	Cs137	ND	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND(0.28)	ND(0.18)	ND(0.22)	ND(0.19)	ND(0.16)	ND(0.10)	ND(0.24)

平成26年度

()内は検出限界値

	採取日	12/7	12/8	12/9	12/10	12/11	12/12	12/13	12/14	12/15	12/16	12/17	12/18	12/19	12/20	12/21	12/22	12/23	12/24
	4回																		
川房公会堂 (小高区川房)	Cs134	ND(0.20)	ND(0.23)	ND(0.23)	0.79	0.20 (0.15)	ND (0.25)	ND (0.23)	ND (0.25)	0.22 (0.20)	ND (0.19)	ND (0.24)	ND (0.25)	ND (0.19)	ND (0.20)	ND (0.22)	ND (0.18)	ND (0.26)	ND (0.24)
	Cs137	0.22	0.58	ND(0.22)	3.2	0.93 (0.15)	ND (0.25)	0.46 (0.24)	ND (0.20)	0.74 (0.25)	ND (0.18)	0.54 (0.19)	0.29 (0.25)	0.36 (0.16)	0.52 (0.20)	ND (0.20)	0.22 (0.17)	0.53 (0.13)	0.40 (0.16)
横川ダム (原町区馬場)	Cs134	ND(0.20)	ND(0.23)	ND(0.22)	ND(0.18)	ND (0.26)	ND (0.18)	ND (0.18)	ND (0.21)	ND (0.19)	ND (0.18)	ND (0.22)	ND (0.23)	ND (0.18)	ND (0.17)	ND (0.23)	ND (0.18)	ND (0.17)	ND (0.17)
	Cs137	ND(0.16)	ND(0.24)	ND(0.21)	ND(0.17)	ND (0.23)	ND (0.14)	ND (0.17)	ND (0.22)	0.15 (0.15)	ND (0.18)	ND (0.21)	ND (0.23)	ND (0.15)	ND (0.17)	ND (0.18)	ND (0.17)	ND (0.14)	0.18 (0.16)
原町保健センター (原町区小川町)	Cs134	ND(0.21)	ND(0.22)	ND(0.20)	ND(0.26)	ND (0.14)	ND (0.15)	ND (0.20)	ND (0.20)	ND (0.23)	ND (0.18)	ND (0.16)	ND (0.22)	ND (0.17)	ND (0.17)	ND (0.20)	ND (0.22)	ND (0.25)	ND (0.27)
	Cs137	ND(0.19)	ND(0.23)	ND(0.23)	ND(0.30)	ND (0.18)	ND (0.16)	ND (0.16)	ND (0.19)	ND (0.22)	ND (0.21)	0.32 (0.15)	ND (0.25)	0.15 (0.14)	ND (0.16)	ND (0.17)	ND (0.27)	ND (0.19)	ND (0.27)
高平生涯学習センター (原町区下高平)	Cs134	ND(0.22)	ND(0.27)	ND(0.20)	ND(0.22)	ND (0.23)	ND (0.24)	ND (0.20)	ND (0.19)	ND (0.21)	ND (0.18)	ND (0.20)	ND (0.29)	ND (0.26)	ND (0.21)	ND (0.20)	ND (0.17)	ND (0.21)	ND (0.19)
	Cs137	ND(0.16)	0.28	0.33	0.38	ND (0.23)	ND (0.20)	ND (0.19)	ND (0.18)	ND (0.20)	ND (0.16)	ND (0.25)	ND (0.21)	0.18 (0.15)	ND (0.23)	ND (0.21)	ND (0.16)	ND (0.25)	ND (0.17)
鹿島区役所 (鹿島区西町)	Cs134	ND(0.20)	ND(0.27)	ND(0.21)	ND(0.28)	ND (0.22)	ND (0.18)	ND (0.19)	ND (0.19)	ND (0.21)	ND (0.23)	ND (0.23)	ND (0.26)	ND (0.21)	ND (0.20)	ND (0.23)	ND (0.18)	ND (0.23)	ND (0.20)
	Cs137	ND(0.29)	0.2	ND(0.22)	0.38	ND (0.23)	ND (0.16)	ND (0.18)	0.22 (0.15)	ND (0.22)	ND (0.28)	0.34 (0.19)	0.25 (0.22)	ND (0.17)	ND (0.24)	ND (0.22)	0.20 (0.13)	ND (0.19)	ND (0.16)

平成26年度

()内は検出限界値

採取日	12/25	12/26	12/27	12/28	12/29	12/30	12/31	1/1	1/2	1/3	1/4	1/5	1/6	1/7	1/8	1/9	1/10	1/11	
目																			
川房公会堂 (小高区川房)	Cs134	ND (0.24)	ND (0.19)	ND (0.19)	ND (0.21)	ND (0.15)	ND (0.17)	ND (0.25)	ND (0.17)	ND (0.19)	ND (0.26)	ND (0.18)	ND (0.20)	0.26 (0.25)	ND (0.14)	ND (0.19)	0.24 (0.16)	ND (0.19)	ND (0.16)
	Cs137	ND (0.24)	0.38 (0.20)	ND (0.20)	ND (0.17)	ND (0.15)	ND (0.14)	ND (0.24)	ND (0.13)	ND (0.14)	ND (0.18)	ND (0.15)	0.41 (0.30)	0.70 (0.24)	0.29 (0.20)	0.36 (0.19)	0.80 (0.18)	0.33 (0.20)	0.37 (0.16)
横川ダム (原町区馬場)	Cs134	ND (0.17)	ND (0.15)	ND (0.27)	ND (0.18)	ND (0.20)	ND (0.18)	ND (0.24)	ND (0.17)	ND (0.18)	ND (0.21)	ND (0.21)	ND (0.27)	ND (0.27)	ND (0.19)	ND (0.16)	ND (0.25)	ND (0.18)	ND (0.19)
	Cs137	0.21 (0.14)	0.15 (0.15)	ND (0.25)	ND (0.16)	ND (0.17)	ND (0.17)	ND (0.26)	ND (0.13)	ND (0.16)	ND (0.22)	ND (0.15)	ND (0.23)	ND (0.26)	ND (0.16)	ND (0.17)	ND (0.24)	ND (0.14)	ND (0.15)
原町保健センター (原町区小川町)	Cs134	ND (0.15)	ND (0.17)	ND (0.17)	ND (0.27)	ND (0.18)	ND (0.15)	ND (0.23)	ND (0.16)	ND (0.23)	ND (0.23)	ND (0.19)	ND (0.27)	ND (0.20)	ND (0.25)	ND (0.16)	ND (0.20)	ND (0.20)	ND (0.17)
	Cs137	0.15 (0.13)	ND (0.16)	ND (0.18)	ND (0.26)	ND (0.18)	ND (0.13)	ND (0.25)	ND (0.17)	ND (0.23)	ND (0.23)	ND (0.21)	ND (0.29)	0.22 (0.20)	ND (0.26)	ND (0.17)	0.29 (0.22)	0.27 (0.17)	0.20 (0.18)
高平生涯学習センター (原町区下高平)	Cs134	ND (0.19)	ND (0.15)	ND (0.17)	ND (0.19)	ND (0.17)	ND (0.16)	ND (0.25)	ND (0.17)	ND (0.16)	ND (0.21)	ND (0.19)	ND (0.21)	ND (0.17)	ND (0.17)	ND (0.19)	ND (0.23)	ND (0.26)	ND (0.20)
	Cs137	ND (0.17)	ND (0.14)	ND (0.16)	ND (0.20)	ND (0.14)	ND (0.16)	ND (0.26)	ND (0.18)	ND (0.14)	ND (0.20)	ND (0.17)	ND (0.16)	0.27 (0.15)	0.22 (0.14)	0.24 (0.16)	ND (0.25)	0.37 (0.14)	ND (0.16)
鹿島区役所 (鹿島区西町)	Cs134	ND (0.14)	ND (0.13)	ND (0.23)	ND (0.19)	ND (0.21)	ND (0.18)	ND (0.23)	ND (0.20)	ND (0.16)	ND (0.22)	ND (0.22)	ND (0.22)	ND (0.16)	0.23 (0.19)	ND (0.15)	ND (0.22)	ND (0.18)	ND (0.17)
	Cs137	ND (0.17)	ND (0.16)	ND (0.18)	ND (0.19)	ND (0.16)	ND (0.15)	ND (0.23)	ND (0.22)	ND (0.19)	ND (0.23)	ND (0.26)	ND (0.20)	0.20 (0.15)	1.2 (0.15)	ND (0.15)	ND (0.27)	ND (0.17)	ND (0.17)

平成26年度

()内は検出限界値

	採取日	1/12	1/13	1/14	1/15	1/16	1/17	1/18	1/19	1/20	1/21	1/22	1/23	1/24	1/25	1/26	1/27	1/28	1/29
		5回目										6回目							
川房公会堂 (小高区川房)	Cs134	ND (0.16)	ND (0.18)	ND (0.21)	ND (0.18)	ND (0.22)	ND (0.21)	ND (0.17)	0.19 (0.18)	ND (0.26)	0.59 (0.23)	ND (0.16)	ND (0.15)	ND (0.19)	ND (0.14)	ND (0.18)	ND (0.18)	ND (0.19)	ND (0.27)
	Cs137	0.30 (0.16)	0.28 (0.15)	1.0 (0.17)	ND (0.23)	ND (0.24)	0.24 (0.22)	0.55 (0.14)	0.69 (0.18)	0.92 (0.24)	2.6 (0.18)	0.15 (0.13)	ND (0.15)	ND (0.21)	ND (0.20)	ND (0.16)	ND (0.15)	ND (0.14)	ND (0.15)
横川ダム (原町区馬場)	Cs134	ND (0.18)	0.22 (0.20)	ND (0.26)	ND (0.16)	ND (0.15)	ND (0.17)	ND (0.25)	ND (0.15)	ND (0.26)	ND (0.26)	ND (0.16)	ND (0.21)	ND (0.25)	ND (0.15)	ND (0.17)	ND (0.16)	ND (0.18)	ND (0.17)
	Cs137	ND (0.16)	0.54 (0.22)	0.22 (0.16)	ND (0.20)	ND (0.17)	0.22 (0.16)	0.55 (0.19)	ND (0.16)	ND (0.24)	0.17 (0.17)	0.17 (0.16)	ND (0.16)	ND (0.27)	ND (0.16)	ND (0.20)	ND (0.19)	ND (0.15)	ND (0.16)
原町保健センター (原町区小川町)	Cs134	ND (0.21)	ND (0.15)	ND (0.25)	ND (0.17)	ND (0.18)	ND (0.19)	ND (0.14)	ND (0.26)	ND (0.23)	ND (0.24)	ND (0.23)	ND (0.18)	ND (0.27)	ND (0.21)	ND (0.20)	ND (0.22)	ND (0.25)	ND (0.17)
	Cs137	0.48 (0.22)	0.23 (0.16)	ND (0.21)	ND (0.16)	0.15 (0.12)	0.17 (0.15)	0.28 (0.15)	ND (0.26)	0.25 (0.22)	ND (0.27)	ND (0.18)	ND (0.14)	ND (0.24)	ND (0.21)	ND (0.19)	ND (0.23)	ND (0.24)	ND (0.16)
高平生涯学習センター (原町区下高平)	Cs134	ND (0.16)	ND (0.24)	ND (0.21)	ND (0.18)	0.25 (0.14)	ND (0.17)	ND (0.14)	ND (0.21)	ND (0.27)	ND (0.24)	ND (0.16)	ND (0.19)	ND (0.26)	ND (0.23)	ND (0.25)	ND (0.25)	ND (0.20)	ND (0.15)
	Cs137	0.16 (0.14)	ND (0.28)	ND (0.19)	ND (0.14)	0.76 (0.14)	ND (0.17)	ND (0.18)	ND (0.21)	ND (0.29)	ND (0.27)	ND (0.15)	ND (0.15)	ND (0.25)	ND (0.21)	ND (0.30)	ND (0.24)	0.18 (0.18)	ND (0.17)
鹿島区役所 (鹿島区西町)	Cs134	ND (0.16)	ND (0.27)	ND (0.22)	ND (0.20)	ND (0.21)	ND (0.18)	ND (0.15)	ND (0.19)	ND (0.25)	ND (0.21)	ND (0.17)	ND (0.19)	ND (0.24)	ND (0.23)	ND (0.26)	ND (0.16)	ND (0.18)	ND (0.18)
	Cs137	0.16 (0.15)	ND (0.24)	0.27 (0.17)	ND (0.17)	ND (0.20)	0.20 (0.15)	0.26 (0.15)	ND (0.19)	ND (0.25)	ND (0.18)	ND (0.15)	0.16 (0.15)	ND (0.24)	ND (0.27)	ND (0.24)	ND (0.15)	ND (0.17)	ND (0.21)

平成26年度

()内は検出限界値

	採取日	1/30	1/31	2/1	2/2	2/3	2/4	2/5	2/6	2/7	2/8	2/9	2/10	2/11	2/12	2/13	2/14	2/15	2/16
		7回目																	
川房公会堂 (小高区川房)	Cs134	ND (0.19)	ND (0.19)	ND (0.19)	ND (0.19)	ND (0.18)	ND (0.23)	ND (0.15)	ND (0.22)	ND (0.24)	ND (0.19)	ND (0.19)	ND (0.25)	ND (0.23)	ND (0.23)	ND (0.29)	ND (0.19)	0.50 (0.15)	ND (0.24)
	Cs137	ND (0.23)	0.22 (0.18)	0.36 (0.15)	ND (0.17)	0.32 (0.16)	0.48 (0.25)	ND (0.17)	ND (0.22)	0.43 (0.21)	ND (0.18)	0.44 (0.15)	ND (0.25)	0.45 (0.19)	ND (0.25)	0.50 (0.19)	0.21 (0.17)	1.5 (0.17)	ND (0.28)
横川ダム (原町区馬場)	Cs134	ND (0.17)	ND (0.22)	ND (0.21)	ND (0.19)	ND (0.18)	ND (0.20)	ND (0.17)	ND (0.15)	ND (0.19)	ND (0.17)	ND (0.23)	ND (0.25)	ND (0.24)	ND (0.19)	ND (0.18)	ND (0.19)	ND (0.18)	ND (0.23)
	Cs137	ND (0.17)	ND (0.21)	ND (0.18)	ND (0.17)	ND (0.15)	ND (0.14)	ND (0.14)	ND (0.18)	ND (0.21)	ND (0.19)	ND (0.26)	ND (0.25)	ND (0.28)	ND (0.25)	ND (0.18)	ND (0.22)	0.36 (0.16)	ND (0.24)
原町保健センター (原町区小川町)	Cs134	ND (0.19)	ND (0.19)	ND (0.26)	ND (0.26)	ND (0.24)	ND (0.22)	ND (0.17)	ND (0.18)	ND (0.21)	ND (0.18)	ND (0.17)	ND (0.19)	ND (0.28)	ND (0.25)	ND (0.22)	ND (0.16)	ND (0.21)	ND (0.27)
	Cs137	ND (0.14)	ND (0.13)	ND (0.20)	ND (0.22)	ND (0.22)	ND (0.25)	ND (0.15)	ND (0.16)	ND (0.18)	ND (0.25)	ND (0.20)	ND (0.17)	0.26 (0.24)	0.29 (0.23)	0.33 (0.20)	ND (0.16)	0.29 (0.26)	ND (0.21)
高平生涯学習センター (原町区下高平)	Cs134	ND (0.23)	ND (0.16)	ND (0.18)	ND (0.19)	ND (0.19)	ND (0.16)	ND (0.18)	ND (0.17)	ND (0.20)	ND (0.18)	0.26 (0.24)	ND (0.18)	ND (0.18)	ND (0.17)	ND (0.27)	ND (0.20)	ND (0.15)	ND (0.25)
	Cs137	ND (0.26)	ND (0.19)	ND (0.14)	ND (0.17)	ND (0.16)	ND (0.14)	ND (0.16)	ND (0.17)	ND (0.20)	0.21 (0.14)	0.69 (0.26)	ND (0.17)	ND (0.18)	ND (0.17)	0.32 (0.23)	0.23 (0.16)	0.23 (0.17)	ND (0.25)
鹿島区役所 (鹿島区西町)	Cs134	ND (0.20)	ND (0.19)	ND (0.20)	ND (0.25)	ND (0.19)	ND (0.22)	ND (0.20)	ND (0.24)	ND (0.20)	ND (0.17)	ND (0.25)	ND (0.17)	ND (0.22)	ND (0.24)	ND (0.18)	ND (0.23)	ND (0.17)	ND (0.27)
	Cs137	ND (0.16)	ND (0.22)	ND (0.12)	ND (0.23)	ND (0.19)	ND (0.19)	ND (0.20)	ND (0.25)	ND (0.17)	ND (0.17)	ND (0.21)	ND (0.24)	0.37 (0.20)	ND (0.23)	0.20 (0.17)	ND (0.24)	0.16 (0.14)	ND (0.21)

平成26年度

()内は検出限界値

採取日	2/17	2/18	2/19	2/20	2/21	2/22	2/23	2/24	2/25	2/26	2/27	2/28	3/1	3/2	3/3	3/4	3/5	3/6	
	8回目																		
川房公会堂 (小高区川房)	Cs134	0.20 (0.18)	ND (0.26)	ND (0.18)	ND (0.25)	ND (0.22)	ND (0.16)	ND (0.28)	ND (0.18)	ND (0.22)	ND (0.21)	ND (0.17)	ND (0.17)	ND (0.20)	ND (0.16)	ND (0.19)	ND (0.15)	ND (0.18)	ND (0.22)
	Cs137	0.65 (0.16)	ND (0.22)	ND (0.17)	ND (0.24)	ND (0.18)	ND (0.17)	0.26 (0.24)	0.27 (0.17)	0.21 (0.17)	0.25 (0.24)	0.31 (0.14)	ND (0.16)	ND (0.18)	ND (0.15)	0.46 (0.14)	0.40 (0.15)	0.24 (0.13)	ND (0.22)
横川ダム (原町区馬場)	Cs134	ND (0.21)	ND (0.18)	ND (0.18)	ND (0.16)	ND (0.24)	ND (0.13)	ND (0.23)	ND (0.17)	ND (0.14)	ND (0.20)	ND (0.13)	ND (0.16)	ND (0.20)	ND (0.18)	ND (0.15)	ND (0.14)	ND (0.16)	ND (0.19)
	Cs137	ND (0.16)	ND (0.19)	ND (0.16)	ND (0.18)	ND (0.26)	ND (0.16)	ND (0.24)	ND (0.16)	ND (0.15)	ND (0.24)	ND (0.15)	ND (0.18)	ND (0.17)	ND (0.18)	ND (0.16)	ND (0.16)	ND (0.16)	ND (0.20)
原町保健センター (原町区小川町)	Cs134	ND (0.23)	ND (0.18)	ND (0.26)	ND (0.18)	ND (0.19)	ND (0.24)	ND (0.20)	ND (0.21)	ND (0.18)	ND (0.21)	ND (0.19)	ND (0.26)	ND (0.22)	ND (0.18)	ND (0.22)	ND (0.20)	ND (0.20)	ND (0.16)
	Cs137	ND (0.26)	ND (0.17)	ND (0.20)	ND (0.14)	ND (0.20)	ND (0.21)	ND (0.22)	0.28 (0.17)	0.26 (0.15)	ND (0.19)	ND (0.15)	ND (0.21)	0.20 (0.18)	ND (0.26)	ND (0.22)	ND (0.25)	ND (0.23)	ND (0.15)
高平生涯学習センター (原町区下高平)	Cs134	ND (0.17)	ND (0.16)	ND (0.18)	ND (0.25)	ND (0.22)	ND (0.17)	ND (0.19)	ND (0.18)	ND (0.23)	ND (0.15)	ND (0.18)	ND (0.21)	ND (0.16)	ND (0.21)	ND (0.26)	ND (0.14)	ND (0.18)	ND (0.16)
	Cs137	ND (0.14)	ND (0.20)	ND (0.17)	ND (0.27)	ND (0.20)	ND (0.15)	ND (0.19)	ND (0.19)	ND (0.24)	ND (0.23)	0.17 (0.14)	ND (0.21)	0.34 (0.14)	ND (0.19)	ND (0.25)	ND (0.18)	ND (0.16)	ND (0.19)
鹿島区役所 (鹿島区西町)	Cs134	ND (0.19)	ND (0.23)	ND (0.18)	ND (0.19)	ND (0.22)	ND (0.20)	ND (0.16)	ND (0.16)	ND (0.24)	ND (0.14)	ND (0.15)	ND (0.19)	ND (0.15)	ND (0.20)	ND (0.18)	ND (0.20)	ND (0.17)	ND (0.18)
	Cs137	ND (0.15)	ND (0.25)	ND (0.14)	ND (0.18)	ND (0.24)	ND (0.17)	ND (0.18)	ND (0.17)	ND (0.25)	ND (0.15)	ND (0.15)	ND (0.19)	ND (0.16)	ND (0.18)	ND (0.19)	ND (0.14)	ND (0.15)	ND (0.15)

平成26年度

()内は検出限界値

採取日	3/7	3/8	3/9	3/10	3/11	3/12	3/13	3/14	3/15	3/16	3/17	3/18	3/19	3/20	3/21	3/22	3/23	3/24	
9回目																			
川房公会堂 (小高区川房)	Cs134	ND (0.20)	ND (0.23)	ND (0.20)	ND (0.15)	ND (0.23)	ND (0.19)	ND (0.18)	ND (0.18)	ND (0.27)	ND (0.22)	ND (0.27)	ND (0.23)	ND (0.23)	ND (0.20)	ND (0.19)	ND (0.19)	ND (0.27)	ND (0.18)
	Cs137	ND (0.16)	ND (0.24)	ND (0.23)	0.45 (0.14)	0.23 (0.20)	ND (0.18)	ND (0.15)	ND (0.15)	ND (0.23)	ND (0.24)	0.42 (0.26)	0.26 (0.25)	ND (0.18)	0.17 (0.15)	ND (0.17)	ND (0.18)	0.64 (0.20)	0.25 (0.15)
横川ダム (原町区馬場)	Cs134	ND (0.19)	ND (0.22)	ND (0.13)	ND (0.16)	ND (0.19)	ND (0.15)	ND (0.23)	ND (0.23)	ND (0.26)	ND (0.26)	ND (0.16)	ND (0.23)	ND (0.18)	ND (0.18)	ND (0.17)	ND (0.23)	ND (0.16)	
	Cs137	ND (0.23)	ND (0.23)	ND (0.17)	ND (0.15)	ND (0.22)	0.15 (0.15)	ND (0.19)	ND (0.23)	ND (0.26)	ND (0.21)	0.27 (0.21)	0.23 (0.17)	ND (0.22)	ND (0.16)	ND (0.15)	ND (0.17)	0.30 (0.20)	0.21 (0.15)
原町保健センター (原町区小川町)	Cs134	ND (0.22)	ND (0.12)	ND (0.20)	ND (0.19)	ND (0.15)	ND (0.20)	ND (0.22)	ND (0.20)	ND (0.28)	ND (0.20)	ND (0.19)	ND (0.24)	ND (0.20)	ND (0.14)	ND (0.17)	ND (0.17)	ND (0.24)	0.19 (0.14)
	Cs137	ND (0.23)	ND (0.12)	ND (0.17)	ND (0.22)	ND (0.15)	ND (0.14)	ND (0.26)	ND (0.16)	ND (0.28)	ND (0.17)	ND (0.29)	ND (0.24)	ND (0.22)	ND (0.16)	ND (0.17)	ND (0.19)	0.19 (0.19)	0.44 (0.19)
高平生涯学習センター (原町区下高平)	Cs134	0.19 (0.19)	ND (0.14)	ND (0.21)	ND (0.23)	ND (0.13)	ND (0.13)	ND (0.27)	ND (0.20)	ND (0.19)	ND (0.20)	ND (0.23)	ND (0.21)	ND (0.18)	ND (0.18)	ND (0.20)	ND (0.17)	ND (0.23)	ND (0.18)
	Cs137	0.82 (0.14)	ND (0.16)	ND (0.22)	0.24 (0.22)	ND (0.15)	ND (0.17)	ND (0.19)	ND (0.18)	ND (0.19)	ND (0.18)	ND (0.23)	ND (0.27)	ND (0.19)	ND (0.18)	ND (0.19)	ND (0.20)	0.48 (0.21)	0.23 (0.18)
鹿島区役所 (鹿島区西町)	Cs134	ND (0.18)	ND (0.15)	ND (0.19)	ND (0.18)	ND (0.16)	ND (0.15)	ND (0.19)	ND (0.22)	ND (0.17)	ND (0.19)	ND (0.24)	ND (0.23)	ND (0.20)	ND (0.17)	ND (0.19)	ND (0.19)	0.29 (0.24)	ND (0.19)
	Cs137	ND (0.20)	ND (0.17)	ND (0.16)	ND (0.18)	ND (0.14)	0.14 (0.14)	ND (0.15)	ND (0.25)	ND (0.18)	ND (0.16)	ND (0.26)	ND (0.21)	ND (0.24)	ND (0.15)	ND (0.19)	ND (0.19)	1.1 (0.17)	0.67 (0.16)

平成26年度

()内は検出限界値

	採取日	3/25	3/26	3/27	3/28	3/29	3/30	3/31
		0回目（平成27年度4月1日号に掲載）						
川房公会堂 （小高区川房）	Cs134	ND (0.19)	ND (0.16)	ND (0.22)	ND (0.25)	ND (0.19)	ND (0.23)	ND (0.23)
	Cs137	ND (0.16)	0.16 (0.13)	ND (0.17)	ND (0.27)	ND (0.28)	ND (0.23)	ND (0.16)
横川ダム （原町区馬場）	Cs134	ND (0.19)	ND (0.17)	ND (0.18)	ND (0.22)	ND (0.22)	ND (0.20)	ND (0.19)
	Cs137	ND (0.17)	ND (0.14)	ND (0.16)	ND (0.25)	ND (0.19)	ND (0.21)	0.20 (0.19)
原町保健センター （原町区小川町）	Cs134	ND (0.19)	ND (0.15)	ND (0.19)	ND (0.19)	ND (0.23)	ND (0.27)	ND (0.24)
	Cs137	0.18 (0.18)	ND (0.18)	ND (0.19)	ND (0.15)	ND (0.25)	ND (0.26)	ND (0.22)
高平生涯学習センター （原町区下高平）	Cs134	ND (0.22)	ND (0.16)	ND (0.20)	ND (0.23)	ND (0.22)	ND (0.24)	ND (0.24)
	Cs137	0.19 (0.17)	ND (0.15)	ND (0.22)	ND (0.25)	ND (0.22)	ND (0.25)	0.21 (0.21)
鹿島区役所 （鹿島区西町）	Cs134	ND (0.25)	ND (0.15)	ND (0.15)	ND (0.25)	ND (0.22)	ND (0.27)	ND (0.26)
	Cs137	ND (0.21)	ND (0.14)	ND (0.15)	ND (0.23)	ND (0.22)	ND (0.23)	ND (0.27)