

平成30年度

()内は検出限界値

採取日	3/28~4/4	4/4~4/11	4/11~4/18	4/18~4/25	4/25~5/2	5/2~5/9	5/9~5/16	5/16~5/23	5/23~5/30	5/30~6/6	6/6~6/13	6/13~6/20	6/20~6/27	6/27~7/4	7/4~7/11	
	83回目		84回目		85回目			86回目		87回目		88回目		89回目		
川房公会堂 (小高区川房)	Cs134 (mBq)	ND (0.017)	ND (0.017)	ND (0.019)	ND (0.017)	0.028 (0.012)	ND (0.015)	0.022 (0.015)	ND (0.015)	ND (0.020)	ND (0.015)	ND (0.021)	ND (0.023)	(0.019)	ND (0.019)	ND (0.018)
	Cs137 (mBq)	0.110 (0.017)	0.068 (0.015)	0.086 (0.020)	0.100 (0.018)	0.230 (0.015)	0.110 (0.015)	0.210 (0.016)	0.120 (0.015)	0.100 (0.019)	0.099 (0.015)	0.083 (0.014)	0.094 (0.015)	(0.020)	0.140 (0.018)	0.140 (0.020)
金房小学校 (金房)	Cs134 (mBq)	ND (0.014)	ND (0.013)	ND (0.013)	ND (0.012)	ND (0.013)	ND (0.018)	ND (0.012)	ND (0.013)	ND (0.014)	ND (0.014)	ND (0.012)	ND (0.013)	(0.014)	ND (0.013)	ND (0.015)
	Cs137 (mBq)	0.053 (0.015)	0.039 (0.012)	0.049 (0.014)	0.044 (0.012)	0.080 (0.012)	0.044 (0.011)	0.110 (0.011)	0.075 (0.012)	0.060 (0.013)	0.038 (0.012)	0.043 (0.011)	0.035 (0.013)	(0.013)	0.087 (0.013)	0.071 (0.015)
塚原公会堂 (塚原)	Cs134 (mBq)	ND (0.016)	ND (0.014)	ND (0.013)	ND (0.012)	ND (0.012)	ND (0.011)	ND (0.014)	0.017 (0.011)	ND (0.013)	ND (0.012)	ND (0.013)	ND (0.011)	(0.013)	ND (0.019)	ND (0.015)
	Cs137 (mBq)	0.045 (0.013)	0.036 (0.013)	0.030 (0.014)	0.038 (0.011)	0.076 (0.010)	0.036 (0.010)	0.086 (0.013)	0.140 (0.011)	0.029 (0.013)	0.018 (0.012)	0.022 (0.010)	0.021 (0.012)	(0.012)	0.120 (0.012)	0.055 (0.014)
横川ダム (原町区馬場)	Cs134 (mBq)	ND (0.015)	ND (0.018)	ND (0.016)	ND (0.017)	0.021 (0.016)	ND (0.015)	ND (0.017)	ND (0.017)	ND (0.017)	ND (0.015)	ND (0.014)	ND (0.016)	(0.020)	0.015 (0.014)	ND (0.017)
	Cs137 (mBq)	0.073 (0.015)	0.058 (0.015)	0.067 (0.019)	0.071 (0.018)	0.220 (0.016)	0.092 (0.015)	0.150 (0.018)	0.110 (0.014)	0.077 (0.017)	0.076 (0.012)	0.044 (0.015)	0.089 (0.013)	(0.017)	0.100 (0.016)	0.170 (0.017)
原町保健センター (原町区小川町)	Cs134 (mBq)	ND (0.021)	ND (0.017)	ND (0.018)	ND (0.019)	ND (0.015)	ND (0.016)	ND (0.017)	ND (0.015)	ND (0.017)	ND (0.012)	ND (0.012)	ND (0.013)	(0.013)	ND (0.013)	ND (0.018)
	Cs137 (mBq)	0.037 (0.021)	0.028 (0.018)	0.037 (0.018)	0.028 (0.018)	0.072 (0.016)	0.051 (0.015)	0.069 (0.018)	0.036 (0.018)	0.038 (0.016)	0.039 (0.012)	0.060 (0.010)	0.034 (0.010)	(0.012)	0.048 (0.015)	0.040 (0.019)
高平生涯学習センター (原町区下高平)	Cs134 (mBq)	ND (0.021)	ND (0.016)	ND (0.017)	ND (0.016)	ND (0.016)	ND (0.017)	ND (0.016)	ND (0.019)	ND (0.017)	ND (0.013)	ND (0.011)	ND (0.017)	(0.012)	ND (0.017)	ND (0.018)
	Cs137 (mBq)	0.055 (0.021)	0.052 (0.016)	0.024 (0.018)	0.025 (0.016)	0.063 (0.015)	0.030 (0.015)	0.065 (0.016)	0.051 (0.018)	0.042 (0.017)	0.045 (0.011)	0.054 (0.012)	0.022 (0.016)	(0.011)	0.065 (0.018)	0.049 (0.013)
市立総合病院 (高見町)	Cs134 (mBq)	ND (0.031)	ND (0.015)	ND (0.018)	ND (0.012)	ND (0.014)	ND (0.011)	ND (0.018)	ND (0.017)	ND (0.013)	ND (0.014)	ND (0.012)	ND (0.014)	(0.014)	ND (0.014)	ND (0.018)
	Cs137 (mBq)	0.042 (0.019)	0.031 (0.014)	0.057 (0.017)	0.032 (0.011)	0.063 (0.014)	0.036 (0.011)	0.065 (0.016)	0.053 (0.017)	0.047 (0.013)	0.031 (0.013)	0.071 (0.011)	0.034 (0.012)	(0.014)	0.091 (0.014)	0.070 (0.017)
大原公会堂 (大原)	Cs134 (mBq)	ND (0.013)	ND (0.012)	ND (0.015)	ND (0.012)	ND (0.013)	ND (0.012)	ND (0.013)	ND (0.012)	ND (0.011)	ND (0.013)	ND (0.011)	ND (0.012)	(0.011)	ND (0.012)	ND (0.013)
	Cs137 (mBq)	0.071 (0.012)	0.050 (0.014)	0.081 (0.012)	0.050 (0.010)	0.100 (0.012)	0.046 (0.010)	0.088 (0.011)	0.068 (0.013)	0.048 (0.012)	0.044 (0.011)	0.065 (0.010)	0.036 (0.011)	(0.012)	0.041 (0.012)	0.072 (0.012)
鹿島区役所 (鹿島区西町)	Cs134 (mBq)	ND (0.018)	ND (0.019)	ND (0.016)	ND (0.016)	ND (0.016)	ND (0.017)	ND (0.013)	ND (0.018)	ND (0.017)	ND (0.015)	ND (0.016)	ND (0.015)	(0.013)	ND (0.019)	ND (0.015)
	Cs137 (mBq)	0.028 (0.019)	0.044 (0.017)	0.110 (0.017)	0.053 (0.017)	0.070 (0.014)	ND (0.017)	0.052 (0.015)	0.022 (0.019)	0.032 (0.015)	0.042 (0.014)	0.050 (0.016)	0.018 (0.015)	(0.012)	0.086 (0.018)	0.045 (0.014)
鹿島区3-3消防屯所 (南海老)	Cs134 (mBq)	ND (0.011)	ND (0.011)	ND (0.012)	ND (0.012)	ND (0.011)	ND (0.011)	ND (0.012)	ND (0.012)	ND (0.012)	0.027 (0.012)	ND (0.013)	ND (0.011)	(0.012)	ND (0.011)	ND (0.011)
	Cs137 (mBq)	0.030 (0.011)	ND (0.012)	0.017 (0.012)	0.019 (0.011)	0.032 (0.011)	ND (0.011)	0.041 (0.011)	0.025 (0.011)	0.021 (0.011)	0.290 (0.010)	ND (0.010)	0.012 (0.010)	(0.012)	0.038 (0.010)	0.018 (0.010)

平成30年度

()内は検出限界値

採取日	7/11~7/18	7/18~7/25	7/25~8/1	8/1~8/8	8/8~8/15	8/15~8/22	8/15~8/29	8/29~9/5	9/5~9/12	9/12~9/19	9/19~9/26	9/26~10/3	10/3~10/10	10/10~10/17	10/17~10/24	
	90回目			91回目			92回目		93回目		94回目			95回目		96回
川房公会堂 (小高区川房)	Cs134 (mBq)	0.019 (0.013)	ND (0.019)	ND (0.020)	0.021 (0.016)	0.022 (0.019)	0.020 (0.014)	ND (0.013)	0.028 (0.014)	0.023 (0.011)	0.032 (0.012)	0.016 (0.012)	0.018 (0.014)	ND (0.019)	ND (0.016)	ND (0.013)
	Cs137 (mBq)	0.230 (0.012)	0.140 (0.019)	0.170 (0.023)	0.230 (0.020)	0.240 (0.019)	0.170 (0.014)	0.110 (0.011)	0.270 (0.015)	0.210 (0.011)	0.330 (0.011)	0.190 (0.012)	0.230 (0.015)	0.170 (0.020)	0.190 (0.016)	0.077 (0.014)
金房小学校 (金房)	Cs134 (mBq)	0.014 (0.013)	ND (0.011)	ND (0.014)	ND (0.011)	ND (0.013)	ND (0.013)	ND (0.012)	ND (0.012)	ND (0.013)	0.017 (0.013)	ND (0.013)	ND (0.012)	ND (0.014)	ND (0.013)	電源トラブルの ため欠測
	Cs137 (mBq)	0.110 (0.013)	0.040 (0.013)	0.095 (0.013)	0.058 (0.011)	0.087 (0.013)	0.087 (0.013)	0.058 (0.012)	0.089 (0.012)	0.095 (0.012)	0.160 (0.013)	0.080 (0.012)	0.100 (0.012)	0.082 (0.014)	0.034 (0.013)	
塚原公会堂 (塚原)	Cs134 (mBq)	ND (0.013)	ND (0.014)	ND (0.014)	ND (0.012)	ND (0.013)	ND (0.015)	ND (0.012)	ND (0.012)	ND (0.013)	ND (0.012)	ND (0.013)	ND (0.013)	ND (0.013)	ND (0.013)	ND (0.011)
	Cs137 (mBq)	0.034 (0.012)	0.028 (0.013)	0.025 (0.012)	0.025 (0.012)	0.060 (0.013)	0.078 (0.013)	0.038 (0.011)	0.053 (0.012)	0.040 (0.013)	0.074 (0.012)	0.041 (0.012)	0.044 (0.011)	0.048 (0.014)	0.020 (0.013)	ND (0.013)
横川ダム (原町区馬場)	Cs134 (mBq)	ND (0.013)	ND (0.014)	ND (0.017)	ND (0.015)	0.030 (0.013)	ND (0.018)	ND (0.018)	0.032 (0.010)	0.023 (0.013)	0.033 (0.014)	0.023 (0.018)	0.024 (0.012)	0.022 (0.017)	ND (0.014)	ND (0.018)
	Cs137 (mBq)	0.180 (0.017)	0.085 (0.014)	0.190 (0.018)	0.130 (0.017)	0.280 (0.013)	0.160 (0.019)	0.120 (0.017)	0.310 (0.010)	0.220 (0.010)	0.380 (0.014)	0.250 (0.019)	0.290 (0.009)	0.230 (0.015)	0.110 (0.016)	0.110 (0.019)
原町保健センター (原町区小川町)	Cs134 (mBq)	ND (0.018)	ND (0.010)	ND (0.013)	ND (0.014)	ND (0.012)	ND (0.018)	ND (0.013)	ND (0.017)	ND (0.015)	ND (0.018)	ND (0.013)	ND (0.019)	ND (0.013)	ND (0.013)	ND (0.016)
	Cs137 (mBq)	0.091 (0.015)	0.032 (0.011)	0.045 (0.011)	0.030 (0.015)	0.053 (0.013)	0.066 (0.017)	0.069 (0.012)	0.059 (0.019)	0.057 (0.013)	0.089 (0.020)	0.060 (0.010)	0.054 (0.016)	0.054 (0.014)	0.027 (0.013)	0.041 (0.015)
高平生涯学習センター (原町区下高平)	Cs134 (mBq)	ND (0.014)	ND (0.014)	ND (0.013)	ND (0.016)	ND (0.016)	ND (0.016)	ND (0.012)	ND (0.012)	ND (0.015)	ND (0.017)	ND (0.013)	ND (0.012)	ND (0.015)	ND (0.013)	ND (0.012)
	Cs137 (mBq)	0.045 (0.015)	0.059 (0.011)	0.026 (0.013)	0.031 (0.018)	0.038 (0.016)	0.075 (0.015)	0.048 (0.011)	0.076 (0.011)	0.041 (0.014)	0.066 (0.019)	0.077 (0.010)	0.064 (0.010)	0.058 (0.012)	0.027 (0.012)	0.027 (0.011)
市立総合病院 (高見町)	Cs134 (mBq)	ND (0.017)	ND (0.016)	ND (0.015)	ND (0.012)	ND (0.015)	ND (0.023)	ND (0.014)	ND (0.012)	ND (0.012)	ND (0.014)	ND (0.012)	ND (0.014)	ND (0.017)	ND (0.015)	ND (0.016)
	Cs137 (mBq)	0.038 (0.016)	0.044 (0.016)	0.035 (0.013)	0.042 (0.011)	0.035 (0.016)	0.054 (0.015)	0.085 (0.013)	0.055 (0.011)	0.048 (0.013)	0.085 (0.013)	0.051 (0.013)	0.079 (0.014)	0.036 (0.019)	0.028 (0.015)	0.054 (0.016)
大原公会堂 (大原)	Cs134 (mBq)	ND (0.011)	ND (0.013)	ND (0.013)	ND (0.010)	ND (0.012)	ND (0.013)	ND (0.011)	ND (0.012)	ND (0.011)	ND (0.012)	ND (0.009)	0.013 (0.011)	ND (0.012)	ND (0.014)	ND (0.012)
	Cs137 (mBq)	0.086 (0.011)	0.066 (0.011)	0.012 (0.011)	0.055 (0.012)	0.080 (0.012)	0.074 (0.011)	0.043 (0.011)	0.097 (0.011)	0.073 (0.010)	0.110 (0.009)	0.069 (0.011)	0.068 (0.010)	0.110 (0.012)	0.038 (0.013)	0.030 (0.012)
鹿島区役所 (鹿島区西町)	Cs134 (mBq)	ND (0.013)	ND (0.012)	ND (0.013)	ND (0.017)	ND (0.013)	ND (0.013)	ND (0.011)	ND (0.012)	ND (0.016)	ND (0.012)	ND (0.015)	ND (0.010)	0.038 (0.013)	ND (0.013)	ND (0.011)
	Cs137 (mBq)	0.033 (0.013)	0.061 (0.011)	0.021 (0.014)	0.022 (0.015)	0.026 (0.011)	0.044 (0.012)	0.038 (0.011)	0.044 (0.010)	0.031 (0.018)	0.057 (0.010)	0.045 (0.013)	0.028 (0.010)	0.440 (0.011)	0.035 (0.013)	0.038 (0.011)
鹿島区3-3消防屯所 (南海老)	Cs134 (mBq)	ND (0.012)	ND (0.012)	ND (0.012)	ND (0.012)	ND (0.013)	ND (0.012)	ND (0.012)	ND (0.012)	ND (0.012)	ND (0.011)	ND (0.012)	ND (0.018)	ND (0.011)	ND (0.013)	ND (0.012)
	Cs137 (mBq)	0.019 (0.011)	ND (0.011)	0.092 (0.011)	0.011 (0.011)	0.023 (0.012)	0.036 (0.012)	0.020 (0.012)	0.029 (0.013)	0.027 (0.010)	0.047 (0.012)	0.027 (0.010)	0.030 (0.011)	0.025 (0.010)	0.015 (0.012)	ND (0.011)

平成30年度

()内は検出限界値

採取日	10/24~10/31	10/31~11/7	11/7~11/14	11/14~11/21	11/21~11/28	11/28~12/5	12/5~12/12	12/12~12/19	12/19~12/26	
項目	97回目			98回目		99回目		100回目		
川房公会堂 (小高区川房)	Cs134 (mBq)	ND (0.012)	ND (0.017)	ND (0.013)	ND (0.013)	ND (0.014)	ND (0.017)	ND (0.015)	ND (0.014)	ND (0.016)
	Cs137 (mBq)	0.076 (0.011)	0.025 (0.018)	0.039 (0.013)	0.044 (0.013)	0.033 (0.014)	0.035 (0.017)	0.018 (0.017)	0.029 (0.011)	0.052 (0.014)
金房小学校 (金房)	Cs134 (mBq)	ND (0.017)	ND (0.013)	ND (0.015)	ND (0.013)	ND (0.013)	ND (0.014)	ND (0.012)	ND (0.012)	ND (0.011)
	Cs137 (mBq)	0.037 (0.018)	0.020 (0.013)	0.020 (0.011)	0.017 (0.010)	ND (0.014)	0.019 (0.013)	0.013 (0.012)	0.015 (0.010)	ND (0.014)
塚原公会堂 (塚原)	Cs134 (mBq)	ND (0.013)	ND (0.014)	ND (0.013)	ND (0.012)	ND (0.014)	ND (0.014)	ND (0.012)	ND (0.012)	ND (0.013)
	Cs137 (mBq)	0.026 (0.012)	ND (0.013)	ND (0.012)	0.017 (0.012)	ND (0.014)	0.018 (0.013)	ND (0.010)	ND (0.012)	0.019 (0.013)
横川ダム (原町区馬場)	Cs134 (mBq)	ND (0.017)	ND (0.015)	ND (0.017)	ND (0.016)	ND (0.018)	ND (0.016)	ND (0.018)	ND (0.012)	ND (0.014)
	Cs137 (mBq)	0.078 (0.017)	0.058 (0.016)	0.053 (0.017)	0.039 (0.019)	0.028 (0.020)	0.025 (0.017)	ND (0.017)	ND (0.011)	0.022 (0.012)
原町保健センター (原町区小川町)	Cs134 (mBq)	ND (0.014)	ND (0.017)	ND (0.015)	ND (0.014)	ND (0.018)	ND (0.017)	ND (0.015)	ND (0.011)	ND (0.014)
	Cs137 (mBq)	0.031 (0.015)	ND (0.018)	0.025 (0.017)	0.021 (0.012)	0.023 (0.018)	ND (0.021)	0.018 (0.017)	0.014 (0.012)	0.021 (0.014)
高平生涯学習センター (原町区下高平)	Cs134 (mBq)	ND (0.013)	ND (0.017)	ND (0.014)	ND (0.013)	ND (0.019)	ND (0.020)	ND (0.015)	ND (0.014)	ND (0.018)
	Cs137 (mBq)	0.081 (0.011)	0.048 (0.018)	0.130 (0.011)	0.015 (0.013)	0.034 (0.021)	0.100 (0.015)	ND (0.016)	0.014 (0.013)	ND (0.021)
市立総合病院 (高見町)	Cs134 (mBq)	ND (0.015)	ND (0.015)	ND (0.015)	ND (0.016)	ND (0.016)	ND (0.016)	ND (0.014)	ND (0.013)	ND (0.017)
	Cs137 (mBq)	0.030 (0.014)	0.018 (0.015)	0.017 (0.013)	0.029 (0.014)	0.020 (0.016)	0.049 (0.016)	0.022 (0.012)	0.032 (0.013)	0.029 (0.017)
大原公会堂 (大原)	Cs134 (mBq)	ND (0.012)	ND (0.012)	ND (0.012)	ND (0.011)	ND (0.013)	ND (0.013)	ND (0.012)	ND (0.012)	ND (0.013)
	Cs137 (mBq)	0.042 (0.011)	0.025 (0.012)	0.025 (0.012)	0.037 (0.011)	0.020 (0.012)	0.045 (0.013)	0.024 (0.010)	0.057 (0.011)	0.035 (0.013)
鹿島区役所 (鹿島区西町)	Cs134 (mBq)	ND (0.012)	ND (0.014)	ND (0.012)	ND (0.013)	ND (0.017)	ND (0.012)	ND (0.013)	ND (0.014)	ND (0.014)
	Cs137 (mBq)	0.033 (0.012)	0.019 (0.012)	0.012 (0.011)	0.014 (0.013)	0.022 (0.018)	0.030 (0.011)	0.014 (0.012)	0.029 (0.015)	0.021 (0.013)
鹿島区3-3消防屯所 (南海老)	Cs134 (mBq)	ND (0.011)	ND (0.012)	ND (0.012)	ND (0.012)	ND (0.012)	ND (0.012)	ND (0.011)	ND (0.012)	ND (0.013)
	Cs137 (mBq)	0.016 (0.010)	0.012 (0.011)	ND (0.010)	ND (0.010)	ND (0.011)	0.012 (0.011)	0.022 (0.012)	ND (0.010)	0.017 (0.010)